	Application No.	Applicant(s)
Notice of Allowability	10/032,280	SINGHVI ET AL.
	Examiner	Art Unit
	Deborah K. Ware	1651
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>3/7/05</u> .		
2. The allowed claim(s) is/are <u>109,111 and 129-145</u> .		
3. The drawings filed on 21 December 2001 are accepted by the Examiner.		
 4.		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Sur Paper No./M 8), 7. ⊠ Examiner's A	lail Date mendment/Comment tatement of Reasons for Allowance

Application/Control Number: 10/032,280

Art Unit: 1651

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the title

changed the title to – DEVICE CONTAINING CYTOPHILIC ISLANDS

THAT ADHERE CELLS SEPARATED BY CYTOPHOBIC ISLAND REGIONS -- .

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Deborah K. Ware whose telephone number is 571-272-0924. The examiner can normally be reached on 9:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mike Wityshyn can be reached on 571-272-0926. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/032,280

Art Unit: 1651

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Deborah K. Ware May 26, 2005

PRIMARY EXAMINER
ART UNIT 1/285